

Fletcher

Personal Landing Page HTML Template

User's Guide

First of all i would like to thank you for purchasing our template!

If you have any questions that are beyond the scope of this guide please feel free to write us via our Wrapbootstrap user page contact form:

<https://wrapbootstrap.com/user/alexeyka>

The permanent link to the Fletcher template on the Wrapbootstrap:

<https://wrapbootstrap.com/theme/fletcher-personal-landing-page-html-WB029022K>

Table of Contents

Fletcher	1
Table of Contents	2
About the Fletcher template	3
Basic Features	3
Template structure	4
File Structure	4
index.html Structure	5
Custom theme classes	6
Colors	6
Background color and textures	6
Pre-defined blocks	7
Typography	7
Layout	8
Buttons	9
How-to and tips&tricks	10

About the Fletcher template

Fletcher is the simple and clean One-page Bootstrap template. It is possible to convert this template to:

- personal CV or resume website;
 - personal portfolio;
 - app or product landing page;
 - small corporate website
- or simply combine or mix it as you wish.

Basic Features

- HTML5 and CSS3 Multipurpose template
- Based on Bootstrap 3.3.6
- Bootstrap Responsive Grid System
- SCSS Source files included
- Sticky Header
- Revolution Slider
- Working Ajax/PHP Contact Form
- Isotope filtered Masonry Portfolio working with the native Bootstrap columns
- Parallax Backgrounds
- Google Map
- 100% Bootstrap Components Compatible
- Working Flickr Feed
- All files are well organized and commented
- Crossbrowser Compatible
- SEO Friendly
- Working PHP / Ajax Contact Form

Template structure

File Structure

assets (folder)

custom (folder; all custom template files)

css (folder)

images (folder)

js (folder)

php (folder)

css (folder)

vendor (folder; all files from plugin vendors)

anicounter (folder)

bootstrap (folder)

circle-progress (folder)

flaticon (folder)

flickr (folder)

fontawesome (folder)

horiz-timeline (folder)

imagesloaded (folder)

isotope (folder)

jquery (folder)

mfp (folder)

modernizr (folder)

mousewheel (folder)

offcanvas-menu (folder)

parallax (folder)

photocard (folder)

progresstracker (folder)

rs-plugin (folder)

sticky (folder)

superfish (folder)

index.html

index01.html (John, the Dark UI)

index02.html (Jessica, the Light UI)

email_settings.php (The Contact Form Settings file)

index.html Structure

See the following structure scheme for better orientation in the template code.

```
...
<head>
  – title
  – meta tags
  – favicon link
  – css files calls
  – google fonts calls
  – JS calls
</head>
<body>
  – pre-loader
  – “home” section (only for link to Home in navigation)
  – off-canvas menu (separated from the main menu)

  <div class=“conent-wrap”>
    – top navigation
      – logo
      – main menu
    – revolution slider

    <div id=“content”>
      – content sections (you can change it’s order without any fear)
    </div>

    – google map
    – footer, copyrights
    – back to top link
  </div>
</body>
```

Custom theme classes

The Fletcher template was built using the Bootstrap framework <http://getbootstrap.com/> and contains the full set of the Bootstrap assets. All the Bootstrap basic features are applicable to the Fletcher HTML template.

For the better and quicker code modification we have set some useful custom css classes.

Colors

Use it for any text tag (h,p) or any other tag with a text content. You can easily change all of them in the style.scss or in style.css

.fontcolor-regular

Default text color (#333333).

.fontcolor-invert

The inverted text color for darker backgrounds (#ffffff).

.fontcolor-medium-light

Medium text color (#eaeaea).

.hovercolor

For "hover" elements (#E84855).

.accent-color

Color for accent elements (#007EA7).

Background color and textures

Usable for sections and block containers.

.e-bg-skin

The brightest background color (#ffffff).

.e-bg-light

The light-grey background (#eaeaea).

.e-bg-light-texture

The background with the light texture.

.e-bg-medium

Medium-grey background color (#999999).

.e-bg-dark

Dark-grey background color (#202020).

.e-bg-darker

Darker background color (#181818).

.e-bg-darkest

Darkest background color (#131313).

.e-bg-dark-texture

The background with the dark texture.

.e-bg-accent

The background with the accent color (#007EA7).

Pre-defined blocks

Margins/paddings

.e-block

Default vertical margins/paddings.

.e-block-ins

Smaller vertical margins/paddings.

.e-block-null

Zero vertical margins/paddings.

Pre-defined text and links colors, background colors, hovers e.t.c

.e-block-skin

.e-block-light

.e-bg-light-texture

.e-bg-medium

.e-block-dark

.e-bg-dark-texture

.e-block-darker

.e-block-darkest

.e-block-accent

Typography

You can define it to any text tag or container.

Fonts

.font-regular-normal

.font-regular-bold

.font-accident-one-bold

.font-accident-one-normal

.font-accident-two-normal

.font-accident-two-bold

.font-accident-two-extrabold

Text Sizes e.t.c

.small
.extrasmall
.superheading
.uppercase

Block content alignment

.e-block-centered

Layout

Basic

`<body class="boxed">...</body>`

Turns the whole lay-out to the "boxed" mode. You have to set up the slider width in this case.

.row-no-padding
.nopadding

Turn off the paddings or/and margins.

Dividers

.dividewhite1
.dividewhite2
.dividewhite3
.dividewhite4
.dividewhite6
.dividewhite8
.dividewhite9
.dividewhite10

Define the divider's height from 10 to 100 pixels.

.divider-dynamic

Dynamic height divider. It's height is defined via @media depending the screen width.

Heights

.height-100
.height-200
.height-300
.height-400
.height-500

Define the element's height in the range from 100 to 500 pixels.

Widths

.fullwidth

.width-50

.width-60

.width-70

.width-80

.width-90

Define the element width in range from 100% to 50%.

Position

.e-absolute

.e-relative

.e-fixed

Display

.inline

.block

.inline-block

.e-centered

.hidden

Buttons

.btn-rd

Red button.

.btn-wh

White button.

.btn-wh-str

White stroked button.

.btn-light

light-grey button.

.btn-grey-str

Dark-grey stroked button.

.btn-lgr-str

Light-grey stroked button.

.btn-gr

Light-grey button

.btn-blk

Black button

.btn-darker

Darker grey button.

How-to and tips&tricks

1. How to make the lay-out “boxed”?

Just add the **boxed** class to the body tag. Plus you have to modify the revolution slider width settings.

2. How to make the top navigation not transparent?

Find the following code part in the index.html

```
<!-- Top Navigation -->  
<header id="header-wrapper-mp" class="head-overlay sticky-menu-light">  
  <div class="sticky-header header-dark sticky-overlay nobg" role="navigation">
```

Remove the marked as “bold” **head-overlay** and **nobg** classes and you’ll see the opaque top navigation block that is upper than the slider.

3. I want to make the logo and navigation text black.

There are two instances of the top menu navigation in the Fletcher template. First is the initial menu state, second - the “sticky” state after you scroll it down.

To understand it - find the following code:

```
<header id="header-wrapper-mp" class="head-overlay sticky-menu-light">  
  <div class="sticky-header header-dark sticky-overlay nobg" role="navigation">  
    <div class="container mp-nav">
```

The initial state of the menu may be:

- transparent dark (white text) (default) **.header-dark**
- transparent light (black text) **.header-light**
- opaque dark **.header-dark** and you have to make the #2 step.
- opaque light **.header-light** and you have to make the #2 step.

The “sticky” state may be:

- dark **.sticky-menu-dark**
- light **.sticky-menu-light**

It cannot be transparent.

4. How to make the slider not “full-screen” or not “full-height” as default?

The key settings of the Revolution Slider are in assets/custom/js/script.js

Find the `/* Slider Revolution */` section.

Read the Slider Revolution online Documentation

<http://www.themepunch.com/revsliderjquery-doc/slider-revolution-jquery-5-x-documentation/>

Make the needed changes.

We can not write a direct instructions because of regular Revolution Slider improvements.

5. How to set up the Google map?

- Open the assets/custom/js/script.js.
- Find the `/* Google map */` section.
- Find the following coordinates settings:
 `var $latlng = new google.maps.LatLng(52.5075419, 13.4261419),`
- make changes.

6. How to set up the Google analytics?

- Open the assets/custom/js/script.js.
- Find the `/* Google Analytics */` section.
- Uncomment the last two section lines.
- Fill your GA ID in the `'UA-*****_**'`

7. How to set up the Flickr feed.

- Open the assets/custom/js/script.js.
- Find the `/* Flickr feed */` section.
- Uncomment the code after the section title.
- Fill your real Flickr ID.
- Go to index.html and find the `<!-- Flickr feed Widget -->` in Footer section.
- Delete all the `` with it's content. It was placed only for the extra loading speed.
- Now the script will place the real feed content.

8. How to set up the PHP Contact Form.

- Open the email_settings.php file
- Fill a desired e-mail address and subject